

Anti-arrhythmic Agents for Management of Supraventricular Tachycardia in Children

Sherry A. Luedtke, PharmD and Brandy McGinnis, PharmD

J Pediatr Pharmacol Ther 2004;9:202-209

REVIEWS OF MANAGEMENT OF SUPRAVENTRICULAR TACHYCARDIA (SVT) IN CHILDREN

Paul T, Bertram H, Bokenkamp R, Hausdorf G. Supraventricular tachycardia in infants, children and adolescents: diagnosis, and pharmacological and interventional therapy. *Pediatr Drugs* 2000;2:171-81.

Luedtke SA, Kuhn RJ, McCaffrey FM. Pharmacologic management of supraventricular tachycardias in children. Part 1: Wolff-Parkinson-White and atrioventricular nodal reentry. *Ann Pharmacother* 1997;31:1227-43.

Luedtke SA, Kuhn RJ, McCaffrey FM. Pharmacologic management of supraventricular tachycardias in children. Part 2: Atrial flutter, atrial fibrillation, junctional and atrial ectopic tachycardia. *Ann Pharmacother* 1997;31:1347-59.

Kugler JD, Danford DA. Management of infants, children, and adolescents with paroxysmal supraventricular tachycardia. *J Pediatr* 1996;129:324-38.

ADENOSINE

Losek JD, Endom E, Dietrich A, Stewart G, Zempsky W, Smith K. Adenosine and pediatric supraventricular tachycardia in the emergency department: multicenter study and review. *Ann Emerg Med* 1999;33:185-91.

Address reprint requests to: Sherry A. Luedtke, PharmD, 1300 S. Coulter, Amarillo TX 79106, e-mail: sherry.luedtke@ttuhsc.edu

© 2004 Pediatric Pharmacy Advocacy Group

Sherwood M, Lau KC, Sholler GF. Adenosine in the management of supraventricular tachycardia in children. *J Paediatr Child Health* 1998;34:53-6.

Bakshi F, Barzilay Z, Paret G. Adenosine in the diagnosis and treatment of narrow complex tachycardia in the pediatric intensive care unit. *Heart Lung* 1998;27:47-50.

Paret G, Steinmetz D, Kuint J, Hegesh J, Frand M, Barzilay Z. Adenosine for the treatment of paroxysmal supraventricular tachycardia in full-term and preterm newborn infants. *Am J Perinatol* 1996;13:343-6.

Friedman FD. Intraosseous adenosine for the termination of supraventricular tachycardia in an infant. *Ann Emerg Med* 1996;28:356-8.

Ralston MA, Knilans TK, Hannon DW, Daniels SR. Use of adenosine for diagnosis and treatment of tachyarrhythmias in pediatric patients. *J Pediatr* 1994;124:139-43.

Muller G, Deal BJ, Benson DW. "Vagal maneuvers" and adenosine for termination of atrioventricular reentrant tachycardia. *Am J Cardiol* 1994;74:500-3.

Crosson JE, Etheridge SP, Milstein S, Hesslein PS, Dunnigan A. Therapeutic and diagnostic utility of adenosine during tachycardia evaluation in children. *Am J Cardiol* 1994;74:155-60.

Rossi AF, Steinberg LG, Kipel G, Golindo RJ, Griep RB. Use of adenosine in the management of perioperative arrhythmias in the pediatric cardiac intensive care unit. *Crit Care Med* 1992;20:1107-11.

Till J, Shinebourne E, Ribgy M, Clarke B, Ward DE, Rowland E. Efficacy and safety of adenosine in the treatment of supraventricular tachycardia in infants and children. *Br Heart J* 1989;62:204-11.

Overholt ED, Rheuban KS, Gutgesell HP, Lerman BB, Dimarco JP. Usefulness of adenosine for arrhythmias in infants and children. *Am J Cardiol* 1988;61:336-40.

Greco R, Musto B, Arienzo V, Alborino A, Garofalo S, Marsico F. Treatment of paroxysmal supraventricular tachycardia in infants with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study. *Circulation* 1982;66:504-8.

AMIODARONE

Burri S, Hug MI, Bauersfeld U. Efficacy and safety of intravenous amiodarone for incessant tachycardias in infants. *Eur J Pediatr* 2003;162:880-4.

Laird WP, Snyder CS, Kertesz NJ, Friedman RA, Miller D, Fenrich AL. Use of intravenous amiodarone for postoperative junctional ectopic tachycardia in children. *Pediatr Cardiol* 2003;24:133-7.

Celiker A, Ceviz N, Ozme S. Effectiveness and safety of intravenous amiodarone in drug-resistant tachyarrhythmias of children. *Acta Paediatr Jpn* 1998;40:567-72.

Etheridge S, Craig JE, Compton SJ. Amiodarone is safe and highly effective therapy for supraventricular tachycardia in infants. *Am Heart J* 2001;141:105-110.

Drago F, Mazza A, Guccione P, Mafri A, Di Liso G, Ragonese P. Amiodarone used alone or in combination with propranolol: a very effective therapy for tachyarrhythmias in infants and children. *Pediatr Cardiol* 1998;19:445-9.

Celiker A, Kocak G, Lenk MK, Alehan D, Ozme S. Short- and intermediate-term efficacy of amiodarone in infants and children with cardiac arrhythmia. *Turk J Pediatr* 1997;39:219-25.

Perry JC, Fenrich AL, Hulse JE, Triedman JK, Friedman RA, Lamberti JJ. Pediatric use of intravenous amiodarone: efficacy and safety in critically ill patients from a multicenter protocol. *J Am Coll Cardiol* 1996;27:1246-50.

Soult JA, Munoz M, Lopez JD, Romero A, Santos J, Tovaruela A. Efficacy and safety of intravenous amiodarone for short-term treatment of paroxysmal supraventricular tachycardia in children. *Pediatr Cardiol* 1995;16:16-9.

Perry J, Fenrich A, Hulse E, Triedman J, Friedman R. Pediatric use of intravenous amiodarone: efficacy and safety in critically ill patients from a multicenter protocol. *J Am Coll Cardiol* 1996;27:1246-50.

Kantoch MJ. Combination of amiodarone and flecainide. *Am J Cardiol* 1995;75:862.

Soult JA, Munoz M, Lopez JD, Romero A, Santos J, Tovaruela A. Efficacy and safety of intravenous amiodarone for short-term treatment of paroxysmal supraventricular tachycardia in children. *Pediatr Cardiol* 1995;16:16-19.

Fenrich AL, Perry JC, Friedman RA. Flecainide and amiodarone combined therapy for refractory tachyarrhythmias in infancy. *J Am Coll Cardiol* 1995;25:1195-8.

Figa FH, Gow RM, Hamilton RM, Freedom RM. Clinical efficacy and safety of intravenous amiodarone in infants and children. *Am J Cardiol* 1994;74:573-7.

Raja P, Hawker RE, Chaikitpinoy A, Cooper SG, Lau KC, Nunn GR, et al. Amiodarone management of junctional ectopic tachycardia after cardiac surgery in children. *Br Heart J* 1994;72:261-5.

Perry JC, Knilans TK, Marlow D, Denfield SW, Fenrich AL, Friedman RA. Intravenous amiodarone for life-threatening tachyarrhythmias in children and young adults. *J Am Coll Cardiol* 1993;22:95-8.

Shuler C, Case CL, Gillette PC. Efficacy and safety of amiodarone in infants. *Am Heart J* 1993;125:1430-2.

Pongiglione G, Strasburger JF, Deal BJ, Benson DW. Use of amiodarone for short-term adjuvant therapy in young patients. *Am J Cardiol* 1991;68:603-8.

Guccione P, Paul T, Garson A. Long term follow-up of amiodarone therapy in the young: continued efficacy, unimpaired growth, moderate side effects. *J Am Coll Cardiol* 1990;15:1118-24.

Feld FK, Nademanee K, Stevenson W, Weiss J, Klitzner T, Singh BN. Clinical and electrophysiologic effects of amiodarone in patients with atrial fibrillation complicating the Wolff-Parkinson-White syndrome. *Am Heart J* 1988;115:102-107.

Schutzenberger W, Leisch F, Gmeiner R. Enhanced accessory pathway conduction following intravenous amiodarone in atrial fibrillation. A case report. *Int J Cardiol* 1987;16:93-5.

Kannan R, Yabek SM, Garson A, Miller S, McVey P, Singh BN, et al. Amiodarone efficacy in a young population: relationship to serum amiodarone and desethylamiodarone levels. *Am Heart J* 1987;114:283-87.

Bucknall CA, Keeton BR, Curry PVL, Tynan MJ, Sutherland GR, Holt DW. Intravenous and oral amiodarone for arrhythmias in children. *Br Heart J* 1986;56:278-84

Garson A, Gillette PC, McVey P, Hesslein PS, Porter CBJ, Angell LK, et al. Amiodarone treatment of critical arrhythmias in children and young adults. *J Am Coll Cardiol* 1984;4:749-55.

Shahar E, Barzilay Z, Frand M, Feigl A. Amiodarone in control of sustained tachyarrhythmias in children with Wolff-Parkinson-White syndrome. *Pediatrics* 1983;72:813-6.

Coumel P, Fidelle J. Amiodarone in the treatment of cardiac arrhythmias in children: one hundred thirty-five cases. *Am Heart J* 1980;11:1063-69.

Wellens HJJ, Lie KI, Bar FW. Effect of amiodarone in the Wolff-Parkinson-White syndrome. *Am J Cardiol* 1976;38:189-94.

ATENOLOL

Mehta AV, Subrahmanyam AB, Anand R. Long-term efficacy and safety of atenolol for supraventricular tachycardia in children. *Pediatr Cardiol* 1996;17:231-6.

Trippel DI, Gillette PC. Atenolol in children with supraventricular tachycardia. *Am J Cardiol* 1989;64:233-6.

Robinson C, Birkhead J, Crook B, Jennings K, Jewett D. Clinical electrophysiological effects of atenolol—a new cardioselective beta-blocking agent. *Br Heart J* 1978;40:14-21.

DIGOXIN

Tortoriello TA, Snyder CS, Smith EO, Fenrich AL, Friedman RA, Kertesz NJ. Frequency of recurrence among infants with supraventricular tachycardia and comparison of recurrence rates among those with and without preexcitation and among those with and without response to digoxin and/or propranolol therapy. *Am J Cardiol* 2003;92:1045-9.

Pfammatter JP, Stocker FP. Re-entrant supraventricular tachycardia in infancy: current role of prophylactic digoxin treatment. *Eur J Pediatr* 1998;157:101-6.

O'Sullivan JJ, Gardiner HM, Wren C. Digoxin or flecainide for prophylaxis of supraventricular tachycardia in infants. *J Am Coll Cardiol* 1995;26:991-4

Greco R, Musto B, Arienzo V, Alborino A, Garofalo S, Marsico F. Treatment of paroxysmal supraventricular tachycardia in infants with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study. *Circulation* 1982;66:504-8.

Benson DW, Dunnigan A, Benditt DG, Thomson TR, Narayan A, Boros S. Prediction of digoxin treatment failure in infants with supraventricular tachycardia: role of transesophageal pacing. *Pediatrics* 1985;75:288-93.

Winniford MD, Fulton KL, Hillis LD. Long-term therapy of paroxysmal supraventricular tachycardia: a randomized, double-blind comparison of digoxin, propranolol and verapamil. *Am J Cardiol* 1984;54:1138-9.

Shahar F, Barzilay Z, Shem-Tov AA, Shohet I, Frand M. Pre-excitation syndrome in infants and children. Effects of digoxin, verapamil, and amiodarone. *Arch Dis Child* 1983;58:207-11.

Seller TD, Bashore TM, Gallagher JJ. Digitalis in pre-excitation syndrome: analysis during atrial fibrillation. *Circulation* 1977;56:260-7.

Wellens HJJ, Duren DR, Liem KL, Lie KI. Effect of digitalis in patients with paroxysmal atrioventricular nodal tachycardia. *Circulation* 1975;52:779-88.

ENCAINIDE

Fish FA, Gillette PC, Benson DW. Proarrhythmia, cardiac arrest and death in young patients receiving encainide and flecainide. *J Am Coll Cardiol* 1991;18:356-65.

Hays MD, Gillette PC. Atrial automatic ectopic tachycardia successfully treated with encainide in a 4-week old infant after Senning procedure. *Am Heart J* 1989;117:489-92.

Kuck KH, Kunze KP, Schluter M, Duckeck W. Encainide versus flecainide for chronic atrial and junctional ectopic tachycardia. *Am J Cardiol* 1988;62:37L-44L.

Rinkenberger RL, Naccarelli GV, Miles WM, Markel ML, Dougherty AH, Prystowsky EN, et al. Encainide for atrial fibrillation associated with Wolff-Parkinson-White syndrome. *Am J Cardiol* 1988;62:26L-30L.

Strasburger JF, Smith RT, Moak JP, Gothing C, Garson A. Encainide for resistant supraventricular tachycardia in children: follow-up report. *Am J Cardiol* 1988;62:50L-54L.

Brugada P, Wellens HJJ. Long term follow-up of incessant supraventricular tachycardia treated with oral encainide. *Eur Heart J* 1987;8:369-71.

Kunze KP, Cuck KH, Schluter M, Bleifeld W. Effect of encainide and flecainide on chronic ectopic atrial tachycardia. *J Am Coll Cardiol* 1986;7:1121-6.

Strasburger JF, Moak JP, Smith RT, McVey-Duncan P, Armstrong K, Garson A. Encainide for refractory supraventricular tachycardia in children. *Am J Cardiol* 1986;58:49C-54C.

FLECAINIDE

Bronzetti G, Formigari R, Giardini A, Frascaroli G, Gargiulo G, Picchio FM. Intravenous flecainide for the treatment of junctional ectopic tachycardia after surgery for congenital heart disease. *Ann Thorac Surg* 2003;76:148-51.

Price JF, Kertesz N, Snyder CS, Friedman RA, Fenrich AL. Flecainide and sotalol: a new combination therapy for refractory supraventricular tachycardia in children < 1 year of age. *J Am Coll Cardiol* 2002;39:517-20.

O'Sullivan JJ, Gardiner HM, Wren C. Digoxin or flecainide for prophylaxis of supraventricular tachycardia in infants. *J Am Coll Cardiol* 1995;26:991-4.

Fenrich AL, Perry JC, Friedman RA. Flecainide and amiodarone combined therapy for refractory tachyarrhythmias in infancy. *J Am Coll Cardiol* 1995;25:1195-8.

Kantoch MJ. Combination of amiodarone and flecainide. *Am J Cardiol* 1995;75:862.

Perry JC, Garson A. Flecainide acetate for treatment of tachyarrhythmias in children: review of world literature on efficacy, safety, dosing. *Am Heart J* 1992;124:1614-21.

Fish FA, Gillette PC, Benson DW. Proarrhythmia, cardiac arrest and death in young patients receiving encainide and flecainide. *J Am Coll Cardiol* 1991;18:356-65.

Perry JC, Garson A. Encainide and flecainide in children. Separating the wheat from the chaff. *J Am Coll Cardiol* 1991;18:366-7.

Till JA, Shinbourne EA, Rowland E, Ward DE, Bhamra R, Haga P, et al. Paediatric use of flecainide in supraventricular tachycardia: clinical efficacy and pharmacokinetics. *Br Heart J* 1989;62:133-9.

Perry JC, McQuinn RL, Smith RT, Gothing C, Fredell P, Garson A. Flecainide acetate for resistant arrhythmias in the young: efficacy and pharmacokinetics. *J Am Coll Cardiol* 1989;14:185-91.

Ziegler V, Gillette PC, Hammill B, Ross BA, Ewing L. Flecainide for supraventricular tachycardia in children. *Am J Cardiol* 1988;62:41D-43D.

Ziegler V, Gillette PC, Ross BA, Ewing L. Flecainide for supraventricular and ventricular arrhythmias in children and young adults. *Am J Cardiol* 1988;62:818-20.

Priestly KA, Ladusans EJ, Rosenthal E, Holt DW, Tyran MJ, Jones ODH, et al. Experience with flecainide for the treatment of cardiac arrhythmias in children. *Eur Heart J* 1988;9:1284-90.

Kuck KH, Kunze KP, Schlyuter M, Duckeck W. Encainide versus flecainide for chronic atrial and junctional ectopic tachycardia. *Am J Cardiol* 1988;62:37L-44L.

Wren C, Campbell RWF. The response of paediatric arrhythmias to intravenous and oral flecainide. *Br Heart J* 1987;57:171-5.

Till JA, Rowland E, Shinebourne EA, Ward DE. Treatment of refractory supraventricular arrhythmias with flecainide acetate. *Arch Dis Child* 1987;62:247-52.

Kunze KP, Cuck KH, Schluter M, Bleifeld W. Effect of encainide and flecainide on chronic ectopic atrial tachycardia. *J Am Coll Cardiol* 1986;7:1121-6.

Ward DE, Jones S, Shinebourne EA. Use of flecainide acetate for refractory junctional tachycardias in children with the Wolff-Parkinson-White syndrome. *Am J Cardiol* 1986;57:787-90.

MORICIZINE

Mehta AV, Subrahmanyam AB, Long JB, Kanter RJ. Experience with moricizine HCl in children with supraventricular tachycardia. *Int J Cardiol* 1996;57:31-5.

Evans VL, Garson A, Smith RT, Moak JP, McVey P, McNamara DG. Ethmozine (Moricizine HCl): a promising drug for "automatic" atrial ectopic tachycardia. *Am J Cardiol* 1987;60:83F-86F.

Evans VL, Garson A, Smith RT, Moak JP, McVey P, McNamara DG. Ethmozine: a promising drug for "automatic" atrial ectopic focus tachycardia [abstract]. *Circulation* 1985;72:III-173.

NADOLOL

Mehta AV, Chidambaram B. Efficacy and safety of intravenous and oral nadolol for supraventricular tachycardia in children. *J Am Coll Cardiol* 1992;19:630-5.

PROCAINAMIDE

Mandapati R, Byrum CJ, Kavey RE, Smith FC, Kveselis DA, Hannan WP, et al. Procainamide for rate control of postsurgical junctional tachycardia. *Pediatr Cardiol* 2000;21:123-8.

Boahene KA, Klein GJ, Yee KA, Sharma AD, Fujimura O. Termination of acute atrial fibrillation in the Wolff-Parkinson-White syndrome by procainamide and propafenone: importance of atrial fibrillatory cycle length. *J Am Coll Cardiol* 1990;16:1408-14.

Wellens HJJ, Durrer D. Effect of procaine amide, quenedine, and ajmaline in the Wolff-Parkinson-White syndrome. *Circulation* 1974;50:114-120.

PROPAFENONE

Janousek J, Paul T; Working Group on Pediatric Arrhythmias and Electrophysiology of the Association of European Pediatric Cardiologists. Safety of oral propafenone in the treatment of arrhythmias in infants and children (European retrospective multicenter study). *Am J Cardiol* 1998; 81:1121-4.

- Hessling G, Brockmeier K, Ruediger HJ, Ulmer HE. Electrophysiologic effects and efficacy of intravenous propafenone in terminating atrioventricular reentrant tachycardia in children. *Am J Cardiol* 2001;87:802-4.
- Ito S, Gow R, Verjee Z, Giesbrecht E, Dodo H, Freedom R, et al. Intravenous and oral propafenone for treatment of tachycardia in infants and children: pharmacokinetics and clinical response. *J Clin Pharmacol* 1998;38:496-501.
- Janousek J, Paul T. Safety of oral propafenone in the treatment of arrhythmias in infants and cChildren (European Retrospective Multicenter Study). *Am J Cardiol* 1998;81:1121-4.
- Chen XU, Borggrete M, Martinez-Rubio A, Hief C, Haverkamp W, Hindricks G, et al. Efficacy of ajmaline and propafenone in patients with accessory pathways: a prospective randomized study. *J Cardiovasc Pharm* 1994;24:664-9.
- Heusch A, Kramer HH, Krogmann ON, Rammos S, Bourgeois M. Clinical experience with propafenone for cardiac arrhythmias in the young. *Eur Heart J* 1994;15:1050-6.
- Vignati G, Mauri L, Figini A. The use of propafenone in the treatment of tachyarrhythmias in children. *Eur Heart J* 1993;14:546-50.
- Beaufort-Krol GCM, Bink-Boelkens MTE. Oral propafenone treatment for incessant supraventricular and ventricular tachycardia in children. *Am J Cardiol* 1993;72:1213-4.
- Janousek J, Paul T, Reimer AK, Kallfelz HC. Usefulness of propafenone for supraventricular arrhythmias in infants and children. *Am J Cardiol* 1993;72:294-300.
- Paul T, Reimer A, Janousek J, Kallfelz HC. Efficacy and safety of propafenone in congenital junctional ectopic tachycardia. *J Am Coll Cardiol* 1992;20:911-4.
- Reimer A, Paul T, Kallfelz HC. Efficacy and safety of intravenous and oral propafenone in pediatric cardiac dysrhythmias. *Am J Cardiol* 1991;68:741-4.
- Guccione P, Drago F, Di Donato RM, Cicini MP, Pasquini L, Marino B, et al. Oral propafenone therapy for children with arrhythmias: efficacy and adverse effects in midterm follow-up. *Am Heart J* 1991;122:1022-7.
- Boahene KA, Klein GJ, Yee KA, Sharma AD, Fujimura O. Termination of acute atrial fibrillation in the Wolff-Parkinson-White syndrome by procainamide and propafenone: importance of atrial fibrillatory cycle length. *J Am Coll Cardiol* 1990;16:1408-14.
- Musto B, D'Onofrio A, Cavallaro C, Musto A. Electrophysiological effects and clinical efficacy of propafenone in children with recurrent paroxysmal supraventricular tachycardia. *Circulation* 1988;78:863-9.
- Lucet V, Do Nogc D, Fidelle J, Sidi D, Batisse A, Loth P, et al. Antiarrhythmic effectiveness of propafenone in children: thirty cases. *Arch Mal Coeur* 1987;80:1385-93.
- Garson A, Moak JP, Smith RT, Norton JB. Usefulness of intravenous propafenone for control of postoperative junctional ectopic tachycardia. *Am J Cardiol* 1987;59:1422-4.
- Garson A, Moak JP, Smith RT, McVey P, Norton JB. Control of postoperative junctional ectopic tachycardia with propafenone [abstract]. *J Am Coll Cardiol* 1985;5:428.
- Breithard G, Borggrete M, Widbringhaus E, Seipel L. Effect of propafenone in the Wolff-Parkinson-White syndrome: electrophysiologic findings and long-term follow-up. *Am J Cardiol* 1984;54:29D-39D.

PROPRANOLOL

- Tortoriello TA, Snyder CS, Smith EO, Fenrich AL Jr, Friedman RA, Kertesz NJ. Frequency of recurrence among infants with supraventricular tachycardia and comparison of recurrence rates among those with and without preexcitation and among those with and without response to digoxin and/or propranolol therapy. *Am J Cardiol* 2003;92:1045-9.

Winniford MD, Fulton KL, Hillis LD. Long-term therapy of paroxysmal supraventricular tachycardia: a randomized, double-blind comparison of digoxin, propranolol and verapamil. *Am J Cardiol* 1984;54:1138-9.

Pickoff AS, Zies L, Ferier PL, Tamer D, Wolff G, Garcia O, et al. High dose propranolol therapy in the management of supraventricular tachycardia. *J Pediatr* 1979;94:144-6.

Gillette P, Garson A, Eterovic E, Neches W, Mullins C, McNamara DG. Oral propranolol treatment in infants and children. *J Pediatr* 1978;92:141-4.

Denes P, Cummings JM, Simpson R, Wu D, Amat-YLeon F, Dhingra R, et al. Effects of propranolol on anomalous pathway refractoriness and circus movement tachycardias in patients with pre-excitation. *Am J Cardiol* 1978;41:1061-7.

Wu D, Denes P, Dhingra R, Khan A, Rosen KM. The effects of propranolol on induction of A-V nodal reentrant paroxysmal tachycardia. *Circulation* 1974;50:665-77.

Rosen KM, Barwolf C, Ehsani A, Rahimtock SH. Effects of lidocaine and propranolol on the normal and anomalous pathways in patients with pre-excitation. *Am J Cardiol* 1972;20:801-809.

QUINIDINE

Wu D, Hung JS, Kuo CT, Hsu KS, Sheih WB. Effects of quinidine on atrioventricular nodal reentrant paroxysmal tachycardia. *Circulation* 1981;64:823-31.

Wellens HJJ, Durrer D. Effect of procaine amide, quinidine, and ajmaline in the Wolff-Parkinson-White syndrome. *Circulation* 1974;50:114-120.

SOTALOL

Price JF, Kertesz NJ, Snyder CS, Friedman RA, Fenrich AL. Flecainide and sotalol: a new combination therapy for refractory supraventricular tachycardia in children < 1 year of age. *J Am Coll Cardiol* 2002;39:517-20.

Shi J, Ludden TM, Melikian AP, Gastonguay MR, Hinderling PH. Population pharmacokinetics and pharmacodynamics of sotalol in pediatric patients with supraventricular or ventricular tachyarrhythmia. *J Pharmacokinet Pharmacodyn* 2001;28:555-75.

Laer S, Meibohm B, Mir TS, Hulpke-Wette M. Termination of automatic atrial tachycardia in an infant by adequate sotalol dosing. Indication of clinically relevant age-dependent pharmacokinetics of sotalol. *Eur J Clin Pharmacol* 2001;57:181-2.

Celiker A, Ayabakan C, Ozer S, Ozme S. Sotalol in treatment of pediatric cardiac arrhythmias. *Pediatr Int* 2001;43:624-630.

Saul JP, Ross B, Schaffer MS, Beerman L, Melikian, AP, Shi J, et al. The Pediatric Sotalol Investigators. Pharmacokinetics and pharmacodynamics of sotalol in a pediatric population with supraventricular and ventricular tachyarrhythmia. *Clin Pharmacol Ther* 2001;69:145-57.

Laer S, Behn F, Wauer I, Hulpke-Wette M, Mir TS, Meibohm B. Pharmacokinetics of sotalol in children with supraventricular tachycardia [abstract]. *Clin Pharmacol Ther* 2000;67:130.

Beaufort-Krol GC, Bink-Boelkens MT. Sotalol for atrial tachycardias after surgery for congenital heart disease. *Pacing Clin Electrophysiol* 1997;20:2125-9.

Tanel RE, Walsh EP, Lulu JA, Saul JP. Sotalol for refractory arrhythmias in pediatric and young adult patients: initial efficacy and long-term outcome. *Am Heart J* 1995;130:791-7.

Beaufort-Krol GC, Bink-Boelkens MT. Effectiveness of sotalol for atrial flutter in children after surgery for congenital heart disease. *Am J Cardiol* 1997;92-4.

Pfammatter JP, Paul T, Lehmann C, Kallfelz HC. Efficacy and proarrhythmia of oral sotalol in pediatric patients. *J Am Coll Cardiol* 1995;26:1002-7.

Maragnes P, Tipple M, Fournier A. Effectiveness of oral sotalol for treatment of pediatric arrhythmias. *Am J Cardiol* 1992;69:751-4.

Colloridi V, Perri C, Ventriglia G, Critelli G. Oral sotalol in pediatric atrial ectopic tachycardia. *Am Heart J* 1992;123:254-6.

Tipple M, Sandor G. Efficacy and safety of oral sotalol in early infancy. *PACE* 1991;14:2062-5.

Saul JP, Rhodes LA, Walsh EP. Sotalol: investigational therapy for infants and children with multiply refractory supraventricular and ventricular arrhythmias. *J Am Coll Cardiol* 1990;15:176A.

Maragnes P, Fournier A, Kratz C, Houyel L, Davignon A. Efficacy of sotalol in the pediatric population [abstract]. *Circulation* 1990;82:III-224.

Bowman E, Paes BA, Way RC. Oral sotalol in neonatal supraventricular tachycardia. *Acta Paediatr Scand* 1988;77:171.

VERAPAMIL

Ozer S, Allen S, Schaffer MS. Adenosine- and verapamil-sensitive ventricular tachycardia in the newborn. *Pacing Clin Electrophysiol* 2001;24:898-901.

Dhala A, Lewis DA, Garland J, Pelech AN. Verapamil sensitive incessant ventricular tachycardia in the newborn. *Pacing Clin Electrophysiol* 1996;19(11 Pt 1):1652-4.

Kirk CR, Gibbs JL, Thomas R, Radley-Smith R, Qureshi SA. Cardiovascular collapse after verapamil in supraventricular tachycardia. *Arch Dis Child* 1987;62:1265-82.

Epstein ML, Kiel EA, Victoria BE. Cardiac decompensation following verapamil therapy in infants with supraventricular tachycardia. *Pediatrics* 1985;75:737-40.

Garland JS, Berens PJ, Losek JD. An infant fatality following verapamil therapy for supraventricular tachycardia: cardiovascular collapse following IV verapamil. *Pediatr Emerg Care* 1985;1:198-200.

Winniford MD, Fulton KL, Hillis LD. Long-term therapy of paroxysmal supraventricular tachycardia: a randomized, double-blind comparison of digoxin, propranolol and verapamil. *Am J Cardiol* 1984;54:1138-9.

Porter CJ, Garson A, Gillette PC. Verapamil: an effective calcium blocking agent for pediatric patients. *Pediatrics* 1983;71:748-56.

Gulamhusein S, Ko P, Klein GJ. Ventricular fibrillation following verapamil in Wolff-Parkinson-White syndrome. *Am Heart J* 1983;106:145-47.

Shahar F, Barzilay Z, Shem-Tov AA, Shohet I, Frand M. Pre-excitation syndrome in infants and children. Effects of digoxin, verapamil, and amiodarone. *Arch Dis Child* 1983;58:207-11.

Greco R, Musto B, Arienzo V, Alborino A, Garofalo S, Marsico F. Treatment of paroxysmal supraventricular tachycardia in infants with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study. *Circulation* 1982;66:504-8.

Gulamhusein S, Ko P, Carrutners SG, Klein GJ. Acceleration of the ventricular response during a trial fibrillation in the Wolff-Parkinson-White syndrome after verapamil. *Circulation* 1982;65:348-54.

Porter CJ, Gillette PC, Garson A, Hesslein PS, Karpawisch PP, McNamara SG. Effects of verapamil on supraventricular tachycardia in children. *Am J Cardiol* 1981;48:487-91.

Sapire DW, O'Riordan DC, Black FS. Safety and efficacy of short and long-term verapamil therapy in infants with tachycardia. *Am J Cardiol* 1981;48:1091-7.

Henning P, Katka W, Hall D, Rudolph W. Potential acceleration of the ventricular rate in WPW with atrial fibrillation after verapamil [abstract]. *Circulation* 1980;62:suppl III:111-262.

Tonkin AM, Aylward PE, Joel SE, Heddle WF. Verapamil in prophylaxis of paroxysmal atrioventricular nodal reentrant tachycardia. *J Cardiovasc Pharmacol* 1980;2:473-86.

Sapire DW, Mongkolsmai C, O'Riordan AC. Control of chronic ectopic supraventricular tachycardia with verapamil. *J Pediatr* 1979;94:312-4.

Soler-Soler J, Sogrista-Sauleda J, Cabera A, Sauleda-Pares J, Iglesias-Berengue J, Permanyer-Miralda G, et al. Effect of verapamil in infants with paroxysmal supraventricular tachycardia. *Circulation* 1979;59:876-9.